

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	12161	synchroniz\$5 near6 ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:52
L4	149	3 same (receiver\$1 near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L5	96	3 with (receiver\$1 near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:53
L6	21	4 same (clock\$1 near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:54
L7	10	5 with (clock\$1 near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:25
L8	4	("5282210"   "5736946"   "6359479"   "6496555").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 11:25
L9	1	("6714612").URPN.	USPAT	OR	OFF	2006/10/26 11:26
L10	21	3 same (receiver\$1 near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:49
L11	8	3 with (receiver\$1 near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:31
L12	16955	(sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:49

## EAST Search History

L13	143	12 same (receiver\$1 near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L14	69	12 with (receiver\$1 near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L15	19	13 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:35
L16	1	14 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L17	4242	((increas\$3 or decreas\$3 or adjust\$5 or correct\$4 or chang\$3) near6 delay\$1) same ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:48
L18	1774	((increas\$3 or decreas\$3 or adjust\$5 or correct\$4 or chang\$3) near6 delay\$1) with ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:48
L19	196	17 same ((sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:49
L20	61	18 with ((sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:49
L21	2	19 same (receiver\$1 near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:51
L22	2	20 with (receiver\$1 near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:50

## EAST Search History

L23	18	19 same receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:51
L24	5	20 with receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:51

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	12161	synchroniz\$5 near6 ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:52
L4	149	3 same (receiver\$1 near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:12
L5	96	3 with (receiver\$1 near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:53
L6	21	4 same (clock\$1 near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:54
L7	10	5 with (clock\$1 near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:25
L8	4	("5282210"   "5736946"   "6359479"   "6496555").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 11:25
L9	1	("6714612").URPN.	USPAT	OR	OFF	2006/10/26 11:26
L10	21	3 same (receiver\$1 near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:47
L11	8	3 with (receiver\$1 near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:31
L12	16955	(sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:56

## EAST Search History

L13	143	12 same (receiver\$1 near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L14	69	12 with (receiver\$1 near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L15	19	13 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:58
L16	1	14 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L17	4242	((increas\$3 or decreas\$3 or adjust\$5 or correct\$4 or chang\$3) near6 delay\$1) same ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:48
L18	1774	((increas\$3 or decreas\$3 or adjust\$5 or correct\$4 or chang\$3) near6 delay\$1) with ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:48
L19	196	17 same ((sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:47
L20	61	18 with ((sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:49
L21	2	19 same (receiver\$1 near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:51
L22	2	20 with (receiver\$1 near6 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:50

## EAST Search History

L23	18	19 same receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:59
L24	5	20 with receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:51
L25	556	12 same ((active or inactive or rising or falling) near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:05
L26	327	12 with ((active or inactive or rising or falling) near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:58
L27	170	25 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:06
L28	51	26 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:58
L29	26	27 same receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:59
L30	0	28 with receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:59
L31	54	25 same (delay\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:06
L32	12	26 with (delay\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:07

## EAST Search History

L33	9	("4841551"   "5022056"   "5278873"   "5416807"   "5532632"   "5546018"   "6122720"   "6239629"   "6326812").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:09
L34	2	("6690201").URPN.	USPAT	OR	OFF	2006/10/26 13:13
L35	13	("4975605"   "5229668"   "5467464"   "5504751"   "5671258"   "5692165"   "5828243"   "5886552"   "5910742"   "5933623"   "6041089"   "6108794"   "6137851").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:17
L36	4	("6239629").URPN.	USPAT	OR	OFF	2006/10/26 13:22
L37	8	("3851101"   "4700347"   "4821296"   "4841551"   "5022056"   "5022057"   "5034967"   "5278873").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:24
L38	6	("5532632").URPN.	USPAT	OR	OFF	2006/10/26 13:26
L39	4	("5229668"   "5467464"   "5692165"   "5933623").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:28
L40	7	("6108794").URPN.	USPAT	OR	OFF	2006/10/26 13:30
L41	3	("4216544"   "4280099"   "4414676").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:36
L42	30	("4821296").URPN.	USPAT	OR	OFF	2006/10/26 13:36
L43	3	("5532632"   "5598113"   "5834950").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:39
L44	7	("6252441").URPN.	USPAT	OR	OFF	2006/10/26 13:40
L45	24	("4100541"   "4739231"   "5060145"   "5260608"   "5262865"   "5287025"   "5355037"   "5402389"   "5440514"   "5440515"   "5479128"   "5514990"   "5528200"   "5544203"   "5548235"   "5554949"   "5610543"   "5670895"   "5708611"   "5740123"   "5818769"   "5822255"   "5991232"   "6252441").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:42
L46	1	("6498524").URPN.	USPAT	OR	OFF	2006/10/26 13:43
L47	1	("5122679").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:44
L48	34	("5467464").URPN.	USPAT	OR	OFF	2006/10/26 13:44

## EAST Search History

L49	13	4 same ((sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:04
L50	5	5 with ((sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:52
L51	2	("5003308").URPN.	USPAT	OR	OFF	2006/10/26 13:54
L52	5	4 same ((active or inactive or rising or falling) near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:12
L53	0	5 with ((active or inactive or rising or falling) near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:56
L54	5	4 same ((plurality or multiple or (more near2 one)) near3 sampl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:03
L55	0	5 with ((plurality or multiple or (more near2 one)) near3 sampl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:03
L56	16955	((sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:38
L57	525	3 same 56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:05
L58	447	3 with 56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:05



## EAST Search History

L59	20	57 same ((active or inactive or rising or falling) near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:05
L60	8	58 with ((active or inactive or rising or falling) near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:05
L61	2	("5778214"   "5920600").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 14:11
L62	5	("4633487"   "4756011"   "5278873"   "5428648"   "5539784").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 14:17
L63	15	("5692166").URPN.	USPAT	OR	OFF	2006/10/26 14:17
L64	9	("4370648"   "4851710"   "4943984"   "5004933"   "5228138"   "5359630"   "5369417"   "5692166"   "5742188").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 14:25
L65	1	("6604203").URPN.	USPAT	OR	OFF	2006/10/26 14:27
L66	7	("4355283"   "5083049"   "5087828"   "5604452"   "5614845"   "5623223"   "5652536").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 14:28
L67	4	("5742188").URPN.	USPAT	OR	OFF	2006/10/26 14:28
L68	10	57 same ((four or "4") near3 (sample\$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:39
L69	4	58 with ((four or "4") near3 (sample\$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:48
L70	8	("4393301"   "5237290"   "5687203"   "5887040"   "5909473"   "6081561"   "6266799"   "6556640").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:02
L71	17	("6266799").URPN.	USPAT	OR	OFF	2006/10/26 15:06
L72	3	("5781765"   "5825825"   "5920600").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:18
L73	6	("5577078"   "5642386"   "6122335"   "6266799"   "6285722"   "6349387").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:19

## EAST Search History

L74	0	("6996201").URPN.	USPAT	OR	OFF	2006/10/26 15:20
L75	30	56 same (synchroniz\$5 near6 (receiver\$1 near3 clock\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:24
L76	15	56 with (synchroniz\$5 near6 (receiver\$1 near3 clock\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:23
L77	6	75 same (delay\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:23
L78	0	76 with (delay\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:23
L79	60	56 same (synchroniz\$5 near6 ((receiver\$1 or local) near3 clock\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:25
L80	29	56 with (synchroniz\$5 near6 ((receiver\$1 or local) near3 clock\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:25
L81	521	56 same (delay\$3 near3 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:38
L82	430	56 with (delay\$3 near3 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:29
L83	27	81 same ((active or inactive or rising or falling) near6 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:30

## EAST Search History

L84	15	82 with ((active or inactive or rising or falling) near6 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:35
L85	7	("4355283"   "5083049"   "5087828"   "5604452"   "5614845"   "5623223"   "5652536").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:35
L86	4	("5742188").URPN.	USPAT	OR	OFF	2006/10/26 15:36
L87	9002	((sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:38
L88	480	87 same (delay\$3 near6 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:21
L89	397	87 with (delay\$3 near6 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:39
L90	13	88 same ((four or "4") near3 (sample\$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:44
L91	3	89 with ((four or "4") near3 (sample\$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:10
L92	825	(delay\$3 near6 ((incomming or input or received) adj data)) same sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:00
L93	512	(delay\$3 near6 ((incomming or input or received) adj data)) with sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:43
L94	476	87 same 92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:44

## EAST Search History

L95	391	87 with 93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:44
L96	13	94 same ((four or "4") near3 (sample\$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:44
L97	3	95 with ((four or "4") near3 (sample\$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:44
L98	302	87 same (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:05
L99	250	87 with (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:47
L100	0	98 same (receiver\$1 near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:48
L101	42	98 same (clock\$1 near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:48
L102	9	99 with (clock\$1 near3 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:48
L103	5	("4734900"   "5132957"   "5438303"   "5640131"   "6028898").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:55
L104	11	("6178212").URPN.	USPAT	OR	OFF	2006/10/26 15:55
L105	6	("5886901"   "5898640"   "5923621"   "6008680"   "6037801"   "6046600").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:58
L106	15	("6216256").URPN.	USPAT	OR	OFF	2006/10/26 15:58

## EAST Search History

L107	126	((setup or (set adj up)) adj hold) adj violation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:01
L108	0	3 same 107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:01
L109	13	3 and 107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:01
L110	0	107 same (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:12
L111	5	107 and (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:05
L112	177	87 same ((active or inactive or rising or falling) near3 (clock\$1 near2 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:30
L113	114	87 with ((active or inactive or rising or falling) near3 (clock\$1 near2 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:12
L114	10	112 same (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:55
L115	6	113 with (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:13
L116	193	87 same ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:36

## EAST Search History

L117	124	87 with ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:17
L118	13	116 same (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:17
L119	6	117 with (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:17
L120	2047	(delay\$3 near6 ((incomming or input or received) adj data)) same (adjust\$5 or chang\$3 or increas\$3 or decreas\$3 or correct\$4 or shift\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:34
L121	1192	(delay\$3 near6 ((incomming or input or received) adj data)) with (adjust\$5 or chang\$3 or increas\$3 or decreas\$3 or correct\$4 or shift\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:35
L122	169	87 same 120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:35
L123	73	87 with 121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:35
L124	12	122 same ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:36
L125	3	123 with ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:42
L126	10	("5022057"   "5487092"   "5872959"   "6087867"   "6275547"   "6359479"   "6516420"   "6526106"   "6529570"   "6744833").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 16:41
L127	0	("6904537").URPN.	USPAT	OR	OFF	2006/10/26 16:44

## EAST Search History

L128	9	("3908084"   "4604582"   "4700347"   "4720709"   "5022057"   "5313501"   "5327466"   "5684841"   "6262921").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 16:49
L129	3	("6526106").URPN.	USPAT	OR	OFF	2006/10/26 16:52
L130	25	87 same ((determin\$5 or dec\$5 or calculat\$4 or estimat\$4) near6 delay\$1)	USPAT	OR	OFF	2006/10/26 16:56
L131	8	87 with ((determin\$5 or dec\$5 or calculat\$4 or estimat\$4) near6 delay\$1)	USPAT	OR	OFF	2006/10/26 16:54
L132	3	130 same (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:12
L133	2	131 with (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:55
L134	7	87 same ((determin\$5 or dec\$5 or calculat\$4 or estimat\$4) near6 (data near2 delay\$3))	USPAT	OR	OFF	2006/10/26 17:07
L135	4	87 with ((determin\$5 or dec\$5 or calculat\$4 or estimat\$4) near6 (data near2 delay\$3))	USPAT	OR	OFF	2006/10/26 16:57
L136	7	("6122335").URPN.	USPAT	OR	OFF	2006/10/26 17:00
L137	22	("5022056"   "5173899"   "5327277"   "5398129"   "5479451"   "5488639"   "5572349"   "5680546"   "5754535"   "5774244"   "5818890"   "5822386"   "5848070"   "5864413"   "5864414"   "5872645"   "5896213"   "5896474"   "5907587"   "5926478"   "5930018"   "5930262").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 17:04
L138	10	87 same ((determin\$5 or dec\$5 or calculat\$4 or estimat\$4) near6 (data near2 delay\$3))	USPAT	OR	OFF	2006/10/26 17:31
L139	5	87 with ((determin\$5 or dec\$5 or calculat\$4 or estimat\$4) near6 (data near2 delay\$3))	USPAT	OR	OFF	2006/10/26 17:09

## EAST Search History

L140	23	("5022056"   "5173899"   "5327277"   "5398129"   "5479451"   "5488639"   "5572349"   "5680546"   "5754535"   "5774244"   "5818890"   "5822386"   "5848070"   "5864413"   "5864414"   "5872645"   "5896213"   "5896474"   "5907587"   "5926478"   "5930018"   "5930262"   "6122335").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 17:10
L141	3	("6269137").URPN.	USPAT	OR	OFF	2006/10/26 17:11
L142	189	87 same ((receiver\$1 or local) near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:12
L143	99	87 with ((receiver\$1 or local) near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:12
L144	7	142 same (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:13
L145	4	143 with (delay\$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:17
L146	32	("5081655").URPN.	USPAT	OR	OFF	2006/10/26 17:17
L147	15	("4119796"   "4151485"   "4604582"   "4611230"   "4617679"   "4623805"   "4637018"   "4755704"   "4756011"   "4773085"   "4821296"   "4821297"   "4831338"   "4837781"   "4839907").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 17:20
L148	2	142 same ((determin\$5 or dec\$5 or calculat\$4 or estimat\$4) near6 (data near2 delay\$3))	USPAT	OR	OFF	2006/10/26 17:22
L149	1	143 with ((determin\$5 or dec\$5 or calculat\$4 or estimat\$4) near6 (data near2 delay\$3))	USPAT	OR	OFF	2006/10/26 17:23
L150	376	87 same (clock\$1 near2 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:31



## EAST Search History

L151	215	87 with (clock\$1 near2 (transition\$1 or edge\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:31
L152	0	150 same ((determin\$5 or dec\$5 or calculat\$4 or estimat\$4) near6 (data near2 delay\$3))	USPAT	OR	OFF	2006/10/26 17:39
L153	4	150 and ((determin\$5 or dec\$5 or calculat\$4 or estimat\$4) near6 (data near2 delay\$3))	USPAT	OR	OFF	2006/10/26 17:31
L154	4	("4756011"   "4821296"   "4841551"   "4949361").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 17:33
L155	31	("5278873").URPN.	USPAT	OR	OFF	2006/10/26 17:35
L156	1236	((determin\$5 or detect\$4 or monitor\$3) near6 (((incomming or input or received) near2 data) near2 value\$1))	USPAT	OR	OFF	2006/10/26 17:41
L157	10	156 same ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:43
L158	3	156 with ((active or inactive or rising or falling) near3 (clock\$1 near3 (transition\$1 or edge\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:43